

CALIFORNIA REGIONAL WATER QUALITY CONTROL BOARD
CENTRAL VALLEY REGION
415 Knollcrest Drive, Suite 100, Redding, California 96002

PUBLIC HEARING
concerning

REVISED WASTE DISCHARGE REQUIREMENTS

For

OPERATION AND PARTIAL CLOSURE OF

ANDERSON LANDFILL, INC.
ANDERSON CLASS III LANDFILL
AND CLASS II SURFACE IMPOUNDMENT
SHASTA COUNTY

Anderson Landfill, Inc. (hereafter Discharger) owns and operates a municipal solid waste landfill and Class II surface impoundment at 18703 Cambridge Road, Anderson, Shasta County. Existing Waste Discharge Requirements Order No. 05-01-152 is being revised to address the Discharger's proposal to construct a new municipal solid waste landfill Unit at the site. The proposed waste discharge requirements allow the Discharger to construct the new Unit and requires closure of two other Units.

A public hearing concerning this matter will be held during the Regional Board meeting which is scheduled for:

DATE: 4 and 5 August 2005
TIME: 8:30 am
PLACE: Central Valley Regional Board Office
11020 Sun Center Drive, #200
Rancho Cordova, CA 95670

Persons wishing to comment on this noticed hearing item must submit comments in writing to the Regional Board no later than **1 August 2005**. Written comments submitted after **1 August 2005** will not be accepted and will not be incorporated into the administrative record if doing so would prejudice any party.

All interested persons may speak at the Board meeting, and are expected to orally summarize their written submittals. Oral comments will be limited in time by the Board Chair.

Anyone having questions on the revised waste discharge requirements for Anderson Landfill, Inc., should contact Dale Stultz at (530) 224-4786. The proposed item and related documents may be inspected and copied at the Regional Board's office at 415 Knollcrest Drive, Suite 100, Redding, California, weekdays between 8:00 a.m. and 5:00 p.m. by appointment.

NOTICE OF PUBLIC HEARING
ANDERSON LANDFILL, INC.
SHASTA COUNTY

-2-

The procedures governing Regional Water Board meetings may be found at Title 23, California Code of Regulations, Section 647 et seq. and is available upon request. Hearings before the Regional Water Board are not conducted pursuant to Government Code section 11500 et seq. The procedures may be obtained by accessing http://www.swrcb.ca.gov/water_laws/index.html. Information on meeting and hearing procedures is also available on the Regional Board's website at http://www.swrcb.ca.gov/rwqcb5/board_meetings/mtgprocd.html or by contacting any one of the Board's offices. Questions regarding such procedures should be directed to Ms. Janice Tanaka at (916) 464-4839.

The hearing facilities will be accessible to persons with disabilities. Individuals requiring special accommodations are requested to contact to Ms. Janice Tanaka at (916) 464-4839 at least 5 working days prior to the meeting. TTY users may contact the California Relay Service at 1-800-735-2929 or voice line at 1-800-735-2922.

Please bring the above information to the attention of anyone you know who would be interested in this matter.

JAMES C. PEDRI, Assistant Executive Officer

16 June 2005